BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 85 NOS. 1,2 **CONTENTS** **28 DECEMBER 2000**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Announcements

Call for papers – Gene Expression Patterns v

Electronic submission of all article types via the WWW now possible vi

Brain Research Interactive Young Investigator Awards vii

Interactive reports (Also accessible on the World Wide Web at **http://www.elsevier.nl/locate/bres** or **http://www.elsevier.com/locate/bres**)

JNK activation is associated with intracellular β-amyloid accumulation
M. Shoji, N. Iwakami, S. Takeuchi, M. Waragai, M. Suzuki, I. Kanazawa, C.F. Lippa, S. Ono, H. Okazawa (Japan, USA) 221

Acute nicotine decreases, and chronic nicotine increases the expression of brain-derived neurotrophic factor mRNA in rat hippocampus
P.J. Kenny, S.E. File, M. Rattray (UK) 234

Colocalization of the μ-opioid receptor and calcium/calmodulin-dependent kinase II in distinct pain-processing brain regions
I. Brüggemann, S. Schulz, D. Wiborny, V. Höllt (Germany) 239

Loss of base excision repair in aging rat neurons and its restoration by DNA polymerase β
K.S. Rao, V.V. Annapurna, N.S. Raji, T. Harikrishna (India) 251

Research reports

Interaction of the Unc-51-like kinase and microtubule-associated protein light chain 3 related proteins in the brain: possible role of vesicular transport in axonal elongation
N. Okazaki, J. Yan, S. Yuasa, T. Ueno, E. Kominami, Y. Masuho, H. Koga, M.-a. Muramatsu (Japan) 1

Differential expression of alternatively spliced isoforms of neuronal nitric oxide synthase (nNOS) and *N*-methyl-D-aspartate receptors (NMDAR) in knockout mice deficient in nNOSα (nNOSα$^{\Delta/\Delta}$ mice)
J. Putzke, B. Seidel, P.L. Huang, G. Wolf (Germany, USA) 13

Gene expression of metabotropic glutamate receptor 5 and excitatory amino acid transporter 2 in the schizophrenic hippocampus
T. Ohnuma, S. Tessler, H. Arai, R.L.M. Faull, P.J. McKenna, P.C. Emson (Japan, UK, New Zealand) 24

Neuroprotective effect of AIP on *N*-methyl-D-aspartate-induced cell death in retinal neurons
A. Laabich, N.G.F. Cooper (USA) 32

Type II brain 4.1 (4.1B/KIAA0987), a member of the protein 4.1 family, is localized to neuronal paranodes
R. Ohara, H. Yamakawa, M. Nakayama, O. Ohara (Japan) 41

The lipid peroxidation product 4-hydroxy-2,3-nonenal inhibits constitutive and inducible activity of nuclear factor κB in neurons
S. Camandola, G. Poli, M.P. Mattson (USA, Italy) 53

Staurosporine- and H-7-induced cell death in SH-SY5Y neuroblastoma cells is associated with caspase-2 and caspase-3 activation, but not with activation of the FAS/FAS-L-caspase-8 signaling pathway
E. López, I. Ferrer (Spain) 61

Characterization of mouse Ire1α: cloning, mRNA localization in the brain and functional analysis in a neural cell line
K. Miyoshi, T. Katayama, K. Imaizumi, M. Taniguchi, Y. Mori, J. Hitomi, D. Yui, T. Manabe, F. Gomi, T. Yoneda, M. Tohyama (Japan) 68

(Contents continued inside)

0169-328X(20001228)85:1/2;1-U

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 85 NOS. 1,2 **CONTENTS** **28 DECEMBER 2000**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Announcements

Call for papers – Gene Expression Patterns v

Electronic submission of all article types via the WWW now possible vi

Brain Research Interactive Young Investigator Awards vii

Interactive reports (Also accessible on the World Wide Web at **http://www.elsevier.nl/locate/bres** or **http://www.elsevier.com/locate/bres**)

JNK activation is associated with intracellular β-amyloid accumulation
M. Shoji, N. Iwakami, S. Takeuchi, M. Waragai, M. Suzuki, I. Kanazawa, C.F. Lippa, S. Ono, H. Okazawa (Japan, USA) 221

Acute nicotine decreases, and chronic nicotine increases the expression of brain-derived neurotrophic factor mRNA in rat hippocampus
P.J. Kenny, S.E. File, M. Rattray (UK) 234

Colocalization of the μ-opioid receptor and calcium/calmodulin-dependent kinase II in distinct pain-processing brain regions
I. Brüggemann, S. Schulz, D. Wiborny, V. Höllt (Germany) 239

Loss of base excision repair in aging rat neurons and its restoration by DNA polymerase β
K.S. Rao, V.V. Annapurna, N.S. Raji, T. Harikrishna (India) 251

Research reports

Interaction of the Unc-51-like kinase and microtubule-associated protein light chain 3 related proteins in the brain: possible role of vesicular transport in axonal elongation
N. Okazaki, J. Yan, S. Yuasa, T. Ueno, E. Kominami, Y. Masuho, H. Koga, M.-a. Muramatsu (Japan) 1

Differential expression of alternatively spliced isoforms of neuronal nitric oxide synthase (nNOS) and *N*-methyl-D-aspartate receptors (NMDAR) in knockout mice deficient in nNOSα (nNOSα$^{\Delta/\Delta}$ mice)
J. Putzke, B. Seidel, P.L. Huang, G. Wolf (Germany, USA) 13

Gene expression of metabotropic glutamate receptor 5 and excitatory amino acid transporter 2 in the schizophrenic hippocampus
T. Ohnuma, S. Tessler, H. Arai, R.L.M. Faull, P.J. McKenna, P.C. Emson (Japan, UK, New Zealand) 24

Neuroprotective effect of AIP on *N*-methyl-D-aspartate-induced cell death in retinal neurons
A. Laabich, N.G.F. Cooper (USA) 32

Type II brain 4.1 (4.1B/KIAA0987), a member of the protein 4.1 family, is localized to neuronal paranodes
R. Ohara, H. Yamakawa, M. Nakayama, O. Ohara (Japan) 41

The lipid peroxidation product 4-hydroxy-2,3-nonenal inhibits constitutive and inducible activity of nuclear factor κB in neurons
S. Camandola, G. Poli, M.P. Mattson (USA, Italy) 53

Staurosporine- and H-7-induced cell death in SH-SY5Y neuroblastoma cells is associated with caspase-2 and caspase-3 activation, but not with activation of the FAS/FAS-L-caspase-8 signaling pathway
E. López, I. Ferrer (Spain) 61

Characterization of mouse Ire1α: cloning, mRNA localization in the brain and functional analysis in a neural cell line
K. Miyoshi, T. Katayama, K. Imaizumi, M. Taniguchi, Y. Mori, J. Hitomi, D. Yui, T. Manabe, F. Gomi, T. Yoneda, M. Tohyama (Japan) 68

(Contents continued inside)

0169-328X(20001228)85:1/2;1-U

(contents continued)

Region- and peptide-specific regulation of the neurotrophins by estrogen
M.K. Jezierski, F. Sohrabji (USA) 77

Absence of endoproteolysis but no effects on amyloid β production by alternative splicing forms of presenilin-1, which lack exon 8 and replace D257A
T. Morihara, T. Katayama, N. Sato, T. Yoneda, T. Manabe, J. Hitomi, H. Abe, K. Imaizumi, M. Tohyama (Japan) 85

Promoter analysis and characteristics of the 5′-untranslated region of the mouse glial cell line-derived neurotrophic factor gene
M. Tanaka, S. Ito, N. Matsushita, N. Mori, K. Kiuchi (Japan) 91

Inhibition of kainic acid induced expression of interleukin-1β and interleukin-1 receptor antagonist mRNA in the rat brain by NMDA receptor antagonists
C. Eriksson, L.-P. Zou, S. Ahlenius, B. Winblad, M. Schultzberg (Sweden, China) 103

Nitric oxide via macrophage iNOS induces apoptosis following traumatic spinal cord injury
K. Satake, Y. Matsuyama, M. Kamiya, H. Kawakami, H. Iwata, K. Adachi, K. Kiuchi (Japan) 114

Human brain thioltransferase: constitutive expression and localization by fluorescence in situ hybridization
S. Balijepalli, M.R. Boyd, V. Ravindranath (India, USA) 123

A novel function of synapsin II in neurotransmitter release
T. Sugiyama, T. Shinoe, Y. Ito, H. Misawa, T. Tojima, E. Ito, T. Yoshioka (Japan) 133

Caspase-9: Involvement in secondary death of axotomized rat retinal ganglion cells in vivo
P. Kermer, R. Ankerhold, N. Klöcker, S. Krajewski, J.C. Reed, M. Bähr (Germany, USA, FRG) 144

Differential roles of Edg-1 and Edg-5, sphingosine 1-phosphate receptors, in the signaling pathways in C6 glioma cells
K. Sato, M. Ui, F. Okajima (Japan) 151

Is light-regulated AP-1 binding in the rat suprachiasmatic nucleus gated by the circadian clock?
A.M. François-Bellan, F. Guillaumond, O. Bosler, D. Becquet (France) 161

Regulation of EphB1 expression by dopamine signaling
A.K. Halladay, Y. Yue, L. Michna, D.A.J. Widmer, G.C. Wagner, R. Zhou (USA) 171

Pharmacological modulation of nerve growth factor synthesis: a mechanistic comparison of vitamin D receptor and β_2-adrenoceptor agonists
S. Samina Riaz, D.R. Tomlinson (UK) 179

Induction and alternative splicing of δ isoform of Ca^{2+}/calmodulin-dependent protein kinase II during neural differentiation of P19 embryonal carcinoma cells and during brain development
H. Donai, T. Murakami, T. Amano, Y. Sogawa, T. Yamauchi (Japan) 189

Harmaline-induced changes in gamma aminobutyric acid$_A$ receptor subunit mRNA expression in murine olivocerebellar nuclei
A. Frostholm, J.E. Evans, S.L. Cummings, A. Rotter (USA) 200

Short communications

Distribution of dopamine D1 receptors in the nucleus paraventricularis of the hypothalamus in rats: an immunohistochemical study
A. Czyrak, A. Chocyk, M. Maćkowiak, K. Fijal, K. Wędzony (Poland) 209

Quantitative expression analysis of the small conductance calcium-activated potassium channels, SK1, SK2 and SK3, in human brain
R. Rimini, J.M. Rimland, G.C. Terstappen (Italy) 218

Author index 260

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**